
Free Sample. Not for Retail Sale.

MARKETED BY Asian Paints Limited, 6A, Shantinagar, Santacruz (East), Mumbai 400055.

For more information, visit www.asianpaints.com For feedback/complaints, write to the Marketing Manager-Services at the address provided. Toll-Free 1800 209 5678 Email customercare@asianpaints.com.



#### FRONT PAGE



# The second secon

Asian Paints today has a team of over 20 qualified scientists and doctors dedicated to waterproofing and construction chemicals with separate development, testing and application laboratory. The team has successfully developed a range of 40 waterproofing products and systems. The team undertakes challenging projects and assignments in its endeavor for innovation towards contributing to durable and long lasting solutions rest assured, all our products are benchmarked to international specifications and meet stringent standards. "Warranty waala waterproofing" is our motto.

Asian Paints SmartCare Tile Adhesives & Grouts are an advanced range of products formulated specifically for providing tile fixing solutions to the Indian market. These products can be used for both floor and wall tiling in interiors as well as exteriors. These products have been designed for the application of ceramic tiles, vitrified tiles, glass mosaic tiles and natural stones (marble & granite). Furthermore the several brilliant shades available under Cement and Epoxy Tile Grouts not only enhance the beauty of the tiles but also provide ample water resistance.

#### PAGE 2



# **PRODUCT RANGE**





SmartCare Tile Adhesive Normal Application







SmartCare Tile Adhesive White Multipurpose

SmartCare Ezy White Tile Adhesive







SmartCare

CemBoost 200

SmartCare Tile Grout Epoxy Based











SmartCare Block Joining Mortar

SmartCare RepairMax 200

PAGE	4
------	---







SmartCare Tile Adhesive Stone and Heavy Tile Application



SmartCare Tile Grout **Cement Based** 



SmartCare Tile Bonder



SmartCare Tile Cleaner



#### **AREAS OF APPLICATION**





For permanent installation of ceramic, porcelain, vitrified tiles on horizontal or vertical masonry surfaces at the interior as well as exterior. It is also for installing marbles and granites on floors and other horizontal surfaces only.

#### **PRODUCT BENEFITS**

Specification Meets the requirements of IS 15477.

Easy Application Single component, ready-to-use mixture consisting of cement, sand and special additives.

**Excellent Adhesion** Excellent adhesion and slip resistance.

No Pre-soaking No water curing, no pre-soaking of tiles.


#### AVAILABLE PACKS

COLOURS AVAILABLE



12 original packaging under

COVERAGE



For a bed of 3 mm thickness. The actual coverage might vary with the type of surface and its flatness.



#### AREAS OF APPLICATION



For permanent installation of ceramic, vitrified and

porcelain tiles on tiles in interiors as well as exteriors

stones (marble, granite) on tiled horizontal surfaces.

Can also be used for installation of heavy tiles and natural



#### Specification

Meets the requirements of IS 15477. Easy Application

Single component, ready-to-use mixture consisting of cement, sand and special additives.

#### **Excellent Adhesion** Excellent adhesion ensuring that removal of old tiles, breakage, debris or dust is done away with.



#### **COLOURS AVAILABLE**



Grey\* \*Tile on Tile Adhesive is a Grey colored free flowing powder.



12 months from the date of

manufacture when stored in



Long Pot Life

Ready for Use Trafficable (ready for use) time 24 hours.

#### SHELF LIFE








# **AVAILABLE PACKS**





Long pot life ensuring larger quantities of material

anpaints



#### SmartCare Tile Adhesive Tile on Tile Application

Asian Paints SmartCare Tile Adhesive for Tile-on-Tile Application is a single component cement based polymer modified adhesive for fixing tiles over tiles on floors and walls in interiors as well as exteriors. The product contains special additives that provide excellent bonding & grabbing properties.



#### Long Pot Life

Long pot life and open time for smooth application.

#### No pre-soaking

Needs no pre-soaking and water curing.

#### Water Resistant and Flexibility

Excellent water resistance. Low shrinkage and greater flexibility for accommodating thermal or physical movements.

#### Ready for Use

Trafficable (ready for use) in 24 hours.

#### SHELF LIFE



12 months from the date of manufacture when stored in original packaging under normal dry conditions.

#### COVERAGE



#### 3.5 - 4.5 kg/m<sup>2</sup>

For a bed of 3 mm thickness. The actual coverage might vary with the type of surface and its flatness.



**PRODUCT BENEFITS** 

Single component, ready-to-use mixture consisting

30 kg

of cement, sand and special additives.

Trafficable (ready for use) in 24 hours.

Easy to mix

**Excellent Adhesion** 

AVAILABLE PACKS

COLOURS AVAILABLE

Ready for Use

#### AREAS OF APPLICATION



Heavy stone tile applications like natural stones, granite, and marble on internal as well as external vertical surfaces.


#### SmartCare Tile Adhesive Stone and Heavy Tile Application

Asian Paints SmartCare Stone Tile Adhesive is single component cement based polymer modified tile adhesive specially designed for heavy stone tile applications like granite, marble on internal as well as external vertical surfaces. SmartCare stone tile adhesive is also suitable for fixing natural stones, ceramic on new substrate.



Low water absorption making it water resistant.

#### AREAS OF APPLICATION





For fixing glass mosaic tiles on horizontal or vertical masonry surfaces in interiors as well as exteriors. Can also be used for installation of heavy tiles and natural stones.

#### PRODUCT BENEFITS

Specification Meets the requirements of IS 15477.

Easy Application

Single component, ready-to-use white cement based polymer modified adhesive. Fiber reinforced.

Superior Adhesive Long lasting adhesion with superior bond strength.

#### AVAILABLE PACKS




#### COLOURS AVAILABLE



White White Multipurpose Adhesive is a White free flowing powder.

SHELF LIFE



manufacture when stored in original packaging under normal dry conditions.

COVERAGE


12



7.5 - 8.5 kg/m<sup>2</sup> For a bed of 6 mm thickness. Actual coverage might vary with type of surface and flatness.

#### Other Benefits SmartCare Stone Tile Adhesive can be added to Minimizes shrinkage cracks. Suitable for interior and water, as per the recommended mixing ratio. exterior application. Curing and soaking of tile is not required. Hacking of the surface is not essential. Provides excellent adhesion and slip resistance.

Water Resistant





#### SmartCare Tile Adhesive White Multipurpose

Asian Paints SmartCare Tile Adhesive White Multipurpose is single component white cement base polymer modified, fiber reinforced adhesive for fixing glass mosaic tiles in interiors as well as exteriors.



#### Long Pot Life

Long pot life and open time for smooth application.

#### Flexibility

Low shrinkage and greater flexibility for accommodating thermal or physical movements.

#### Waterproof

Good waterproofing characteristics.

#### Ready for Use

Trafficable (ready for use) time 24 hours.

#### SHELF LIFE



12 months from the date of manufacture when stored in original packaging under normal dry conditions.

#### COVERAGE



#### 3.5 - 4.5 kg/m<sup>2</sup>

For a bed of 3 mm thickness. Actual coverage might vary with type of surface and flatness.



#### AREAS OF APPLICATION

# Excellent Adhesion

Easy Application Single component, ready-to-use white cement based polymer modified adhesive.

**PRODUCT BENEFITS** 

Excellent adhesion and slip resistance. Long Pot Life Long pot life and open time for smooth application.





For permanent installation of ceramic, porcelain, vitrified tiles on horizontal masonry surfaces in the interior as well as exterior. It is also for installing marbles and granites on floors and other horizontal surfaces only.

## 20 kg

COLOURS AVAILABLE





For a bed of 3 mm thickness. The actual coverage might vary with the type of surface and its flatness.

# component cement based polymer modified adhesive for fixing tiles on floor in interior as

AREAS OF APPLICATION





Meets the requirements of ANSI 118.6

Easy to mix Cement based easy to mix joint filler available

Easy to clean



COLOURS AVAILABLE



Specification (Specification for tile grouts).

in 9 brilliant shades.

Non-dusting and easy to clean.

AVAILABLE PACKS



# SHELF LIFE

12 Months from date of • manufacture when stored in 12 original packaging under normal dry conditions MONTHS

SMARTCARE

paints

Water Resistant

Ready for Use

Convenient

Low absorption makes it water resistant.

Less labour and time intensive.

COVERAGE



3.5 - 4.5 kg/m<sup>2</sup>

Trafficable (ready for use) in 24 hours.





For filling tile joints of upto 5mm width.





#### SmartCare Tile Grout Cement Based

Asian Paints SmartCare Tile Grout Cement Based is a single component polymer modified tile grout for filling tile joints up to 5 mm width. It is a specially formulated premium, fast setting, low shrinkage grout that prevents ingress of water through the joint.



#### Impermeability

Water repelling impermeable joint filler suited for domestic and commercial floors, walls etc.


#### Excellent adhesion

Sustainable and durable for a long time.

#### SHELF LIFE



12 months from the date of manufacture when stored in original packaging under normal dry conditions.





#### SmartCare Tile Grout Epoxy Based

Asian Paints SmartCare Tile Grout Epoxy Based is a two component epoxy resin based tintable grout specifically designed for use in application of ceramic tile, vitrified tile and stone joints where a hygienic and sterile condition is expected.




#### AREAS OF APPLICATION



Grouting floors and walls in the food industry (dairies, breweries, food plants, shops etc) where hygiene is required.



Grouting ceramic tiles on laboratory benches, kitchen work surfaces, shops bathroom, washroom, shower areas etc.



Grouting of swimming pools, industrial floors and walls where mechanical and chemical attack resistance is required.

#### PRODUCT BENEFITS

Specifications 2 Component epoxy based, easy to mix joint filler available in 26 brilliant shades.

Impervious Impervious ensuring excellent waterproofing in wet areas.


#### **Chemical Resistance** Non-toxic and Chemical resistant.

26 Shades\*

## Excellent adhesion – sustainable and durable up to the life of the tile. **Hygienic**

Excellent adhesion

Ideal for areas where hygiene maintenance is critical like Laboratories, Breweries, Clinics and Bathrooms.





#### AREAS OF APPLICATION





Waterproofing of concrete and sand - cement mortars used in water tanks & water retaining structures, basements, roof slabs and screeds, external and internal plaster, bathrooms, sumps and drains, brick laying mortar.

#### PRODUCT BENEFITS

Water Impermeability Improves waterprooing of concrete & hence increases durability.

Compressive Strength Imparts higher compressive strength even at more than recommended dosage.

**Compatibility** Mixes easily with concrete/mortar mixes.

#### AVAILABLE PACKS



#### COLOURS AVAILABLE



 Clear\*
 \*Cemboost 200 is an Integral waterproofing liquid.

#### **PAGE 12**



#### SmartCare Cemboost 200

Asian Paints SmartCare Cemboost 200 is an integral liquid waterproofing compound with advanced formulation and superior plasticizing additives for cement concrete, mortar and plasters. The product is formulated with selected surface active plasticizing agents, chemicals & additives which make the cement concrete / plaster mix cohesive and upon curing, reduces water permeability.



#### Shrinkage

Resists crack formation due to drying shrinkage.

#### Workability

Improves workability of freshly mixed cement concrete.

#### **Corrosion Resistance**

Resists corrosion of reinforcement steel due to water and chloride ions penetration.

#### SHELF LIFE




Shelf life: If stored in original sealed container, 2 years from the date of manufacturing.

#### COVERAGE



**200 ml** Per 50 kg of cement.



#### AREAS OF APPLICATION

Polymer Modified Powder Additive for cement

bed application.

slurry. Well suited for conventional machan/leveling

#### **PRODUCT BENEFITS**

Clean the surface with wire brush or scrubber to remove hidden dirt, loose particles, laitance & dust. Degrease the surface by using suitable solvents.

Greater Strength than a normal cement and sand mixture.

#### Easy Application Mix Asian Paints Smartcare Tile Bonder with

cement, sand and water as per ratios.

#### AVAILABLE PACKS

0.5 kg pouch\* \*Carton of 20 pouches

COLOURS AVAILABLE



### COVERAGE




2.0 - 2.5 sq.ft./kg, 1.0 - 1.2 sq.ft./kg Mix of Cement, Sand, Asian Paints SmartCare Tile Bonder, Water at 3 / 6 mm thickness.



AREAS OF APPLICATION





Long working hours Long pot life and open time for smooth application

High strength and improved adhesion Provides superior bond strength and makes the adhesion long-lasting

Flexibility Greater flexibility to accommodate thermal or physical movements

#### AVAILABLE PACKS




#### COLOURS AVAILABLE

Recommended for usage on AAC blocks, concrete













blocks & fly ash bricks.





#### SmartCare **Tile Bonder**

Daints

Asian Paints SmartCareTile Bonder is a free flowing powder which can use as an additive for cement paste. It should be well suited for conventional machan / leveling bed application.

T SMARTCARE

Lisoner

**Recommended Ratios** 

mixing mended ratio.

- 50 kg Cement: 500 g AP SC

Tile Bonder: 17 ltr water (Approx.)

Tile Bonder: 18 ltr water (Approx.)

- 50 kg Cement: 25 kg sand: 500 g AP SC

Use paddle stirrer for 2-3 min for homogeneous



#### SmartCare Block Joining Mortar

Asian Paints SmartCare Block Joining Mortar is a ready to use cement based non-shrink, self-curing mortar for fixing AAC blocks, concrete blocks & fly ash bricks.



Ready for use Trafficable (ready for use) in 24 hours

Self-Curing No curing is required after block work is done

#### SHELF LIFE



12 months from the date of manufacture if kept in dry, cool place in tightly sealed plastic bags

#### COVERAGE



#### 3-4 kg/sqm at 3mm thickness

Actual coverage may vary from the quoted figures due to factors such as method of application, environmental conditions and surface texture.



#### AREAS OF APPLICATION



Recommended for usage on concrete or mortar repair works on RCC members, spalled concrete, beams and floors; As a polymer modifier mortar or concrete in old and new constructions.

#### **PRODUCT BENEFITS**

#### Multipurpose Robust product that is economical, easy to handle and has multiple applications

Easy to mix Compatible and faster mixing promoting worker efficiency

Mortar modifier Improved flexibility, low water-cement ratio and resistant to water penetration

#### AVAILABLE PACKS



COLOURS AVAILABLE



#### SmartCare RepairMax 200

Asian Paints SmartCare RepairMax 200 is a high performance, modified Styrene-butadiene rubber (SBR) based binder. It is recommended as a bonding agent for concrete/mortar in repair-like spalled concrete-floors, chajjas, beams & slabs. It bonds old and new concrete surfaces strongly with plasters. It can also be used for waterproofing of toilets and bathrooms, small terraces. It also serves as a bond coat for repair patch work.



Bonding

Cracking

strength Shrinkage

cementitious surfaces

Abrasion resistance

18

SHELF LIFE

Bonds strongly to concrete, plasters, masonry,

Reduces drying & aging shrinkage cracks

Reduces cracking through enhanced mortar flexural



AREAS OF APPLICATION



500 ml, 1 ltr

COLOURS AVAILABLE

# Blue

## COVERAGE



18 months from the date of

manufacture when stored in

original unopened pack

under normal conditions.

As a bonding agent: 4.5-5 m2/kg per coat

Increases wear resistance under rubber-wheeled traffic



Efficient cleaning of floors in kitchen and bathrooms; Removal of tile grout stains and degreasing; Cleaning the surface before application of epoxy products.

#### PRODUCT BENEFITS

Effective Easy to remove stains. Excellent performance An excellent solution to degrease the tile surface with deposits of soaps, scum, salt and mineral. Multipurpose

Effective for grout and ceramic, porcelain & vitrified tile.

#### **PAGE 16**





Asian Paints SmartCare Tile Cleaner is a high quality active cleaner and degreasing solution containing a blend of acids and detergents for common cementitious tile grout stains and daily maintenance of tiles, bathtubs, washbasin and concrete etc.



#### SHELF LIFE



12 Months in unopened condition



Adhesive Normal Application 20 kg\* ₹530 30 kg ₹677 (\*₹20 token available inside the pack)

SmartCare Tile









SmartCare Tile Adhesive White Multipurpose Application 30 kg\* ₹1426



SmartCare Ezy White Tile Adhesive 20 kg ₹850



#### SmartCare Tile Grout Cement Based 1 kg Light ₹95

 
 1 kg Light
 ₹95

 (Available shades: Ivory, Grey Matter, Patch of Blue, Terracota, Cotton Wool, Raven Song, Arabian Sand.)

 1 kg Dark
 ₹115

 (Available shades: Caffeine, Gold

SmartCare Tile Grout Epoxy Based

1 kg ₹773





#### SmartCare Tile Bonder

Standard.)

0.5 kg ₹100 (carton of 20 pouches)



SmartCare Block Joining Mortar 40 kg ₹800



 SmartCare

 RepairMax 200

 500 g
 ₹165 10 kg
 ₹2800

 1 kg
 ₹320 20 kg
 ₹5000

 5 kg
 ₹1450



