



LOCTITE®

AP Product Range Loctite



Product Range

Epoxy Standard Loctite Tough/ToughX

Product Features

- Two pack Epoxy system
- Superior Optical Clarity
- 3 – 5x strength pickup vs. Araldite

Key Applications

- Bonds Multiple Materials-Stone, wood , metal, glass
- Used by
 - Masons,
 - Carpenters

Product SKUs

- 25 ml Syringe pack
- 90 g tube pack
- 180 gm
- 500 g jar pack
- 1.8 Kg pack



AP Loctite Rapid X the Fast & Clear 1.8 Kg Epoxy.



Rapid X Setting Time is 2 Hrs compared to standard Epoxy 6 Hrs

The Pot life is 35 min from time of mixing the Hardener & Resin

Key Applications area.

Bonds Multiple Materials-Stone, wood, metal, glass

MRP –RS 1425

Product Range

Epoxy Clear Loctite Rapid

Product Features

- Two pack clear epoxy
- Easy to use syringe pack
- Sets in 5 minutes

Key Applications

- Bonds Multiple Materials-Stone, wood , metal, glass
- Used by
 - Glass Workers
 - Masons,
 - Carpenters

Product SKUs

- 25 ml Syringe pack
- 90 g tube pack

